US Army Corps
of Engineers
Sacramento District

# RENOVATE 926 WG BUILDING 332

## NELLIS AFB

## NEVADA

## PN: RKMF17-0065

| Index of Drawings | |
|---|---|
| SHEET NUMBER | SHEET TITLE |
| G-001 | COVER SHEET |
| G-101 | PROJECT LOCATION AND HAUL PATH |
| | |
| C-101 | DEMOLITION PLAN |
| C-102 | SITE PLAN |
| | |
| AD101 | FIRST FLOOR DEMOLITION PLAN |
| AD102 | SECOND FLOOR DEMOLITION PLAN |
| AD103 | THIRD FLOOR DEMOLITION PLAN |
| AD201 | NORTH AND SOUTH ELEVATIONS - DEMOLITION |
| | |
| A-101 | FIRST FLOOR PLAN |
| A-102 | SECOND FLOOR PLAN |
| A-103 | THIRD FLOOR PLAN |
| A-201 | NORTH AND SOUTH ELEVATIONS |
| A-202 | EAST AND WEST ELEVATIONS |
| A-620 | DOOR SCHEDULE |
| | |
| I-610 | FIRST FLOOR INTERIOR FINISH/COLOR SCHDULE |
| I-611 | SECOND FLOOR INTERIOR FINISH/COLOR SCHDULE |
| I-612 | THIRD FLOOR INTERIOR FINISH/COLOR SCHDULE |
| IF101 | 1ST FLOOR FURNITURE PLAN |
| IF102 | 2ND FLOOR FURNITURE PLAN |
| IF103 | 3RD FLOOR FURNITURE PLAN |

**DISTRIBUTION STATEMENT A**
**Approved for public release; distribution is unlimited.**

US Army Corps of Engineers ®

THIS PROJECT WAS DESIGNED BY THE SACRAMENTO DISTRICT OF THE U.S. ARMY CORPS OF ENGINEERS. THE INITIALS OR SIGNATURES AND REGISTRATION DESIGNATIONS OF INDIVIDUALS APPEAR ON THESE PROJECT DOCUMENTS WITHIN THE SCOPE OF THEIR EMPLOYMENT AS REQUIRED BY ER 1110-1-8152

Approved: /s/ Ric Poeppelman, P.E. SEP 2018
Chief, Design Branch Date
Prepared Under the Direction of: Colonel David G. Ray, P.E. SEP 2018
US Corps of Engineers Date

Drawing Code:
Designed by: ORA
Drawn by: ORA
Spec No. 2164
Design File No. 229-25-0715

Approved Functional Adequacy: /s/ Scott Tincher, P.E. SEP 2018
Chief, Design Branch Date
Prepared by: SACRAMENTO DISTRICT DESIGN BRANCH
/s/ Matthew Z. Valentine SEP 2018
Chief, Arch. Design Section Date

NELLIS AFB PN: RKMF17-0065 NEVADA
RENOVATE 926 WG BUILDING 332
COVER SHEET

SHEET IDENTIFICATION
G-001




STATE MAP
SCALE: NONE




LOCATION MAP
SCALE: NONE




PROJECT SITE MAP
SCALE: NONE

NOTES:

1. CONSTRUCTION CONTRACTORS MAY ACCESS THE BASE THROUGH THE MAIN GATE, SIMMONS GATE, RANGE ROAD GATE, AND AREA II GATE. HOWEVER, ALL COMMERCIAL VEHICLES AND VEHICLES LARGER THAN PICKUP TRUCKS WILL BE REQUIRED TO ACCESS THE BASE THROUGH THE AREA II GATE ONLY. THE TURNOFF TO THE AREA II GATE IS ACROSS FROM THE RACETRACK ON N. LAS VEGAS BLVD APPROXIMATELY 3 MILES NORTH OF THE MAIN GATE.
2. THE HAUL PATH SHOWN FROM AREA II GATE IS APPROXIMATELY 6 MILES.
3. UPON ARRIVAL AT A SECURITY GATE, ALL VEHICLE OCCUPANTS WILL BE REQUIRED TO SHOW IDENTIFICATION BEFORE ENTERING THE BASE. A PICTURED IDENTIFICATION SUCH AS A DRIVER'S LICENSE WILL BE REQUIRED.
4. SPEED LIMIT: UNLESS OTHERWISE POSTED, THE SPEED LIMIT ON BASE IS 25 MPH AND IN BASE HOUSING AREAS AND FLIGHTLINE IT IS 15 MPH.
5. ALL TRUCKS MUST HAVE COMPANY NAME LOGOS ON THE DOOR SIDES.
6. NO PRIVATELY OWNED VEHICLES (POV) ALLOWED WITHIN THE CONSTRUCTION SITE.
7. THE CONTRACTOR SHALL VERIFY THE WORKING HOURS WITH THE BASE SECURITY FOR APPROVAL. PERSONNEL CANNOT SHOW UP AT THE GATE WITHOUT PRIOR NOTIFICATION FOR ACCESS AND EXPECT TO GAIN ACCESS. VERBAL ACCESS CANNOT BE PROVIDED.
8. ADDITIONAL ACCESS INFORMATION IS INCLUDED UNDER THE APPENDICES - NELLIS REQUIREMENTS/GUIDANCE
9. POINT OF CONTACTS:
   9.1. BASE OPERATOR - (702) 652-1110
   9.2. GATE AREA II - (702) 652-1801

US Army Corps of Engineers®

| MARK | DESCRIPTION | DATE |
|---|---|---|
| | | |

| | |
|---|---|
| DESIGNED BY: PC | ISSUE DATE: SEP 2018 |
| DRAWN BY: PC | SOLICITATION NO.: XXXX |
| CHECKED BY: JSE | CONTRACT NO.: XXXX |
| SUBMITTED BY: /s/ MARKUS BRIDENTKER | FILE NO.: 228-25-0715 |
| SIZE: ANSI D | FILE SPEC NO.: 21564 |
| | FILE NAME: G-101XXX.dwg |

U.S. ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT

IN-HOUSE DESIGN
1325 J STREET
SACRAMENTO, CA 95814-2922

NELLIS AFB, NV
BLDG 332 RENOVATION
RKMF 17-0065
XXXX

PROJECT LOCATION AND HAUL PATH

SHEET ID
G-101

C:\users\l2edd\se\documents\pwwork\cespk\d0608124\G-101XXX.dwg

NOTES:

1. DEMOLISH ALL EXISTING CONCRETE SIDEWALKS, PAVERS, PRECAST CONCRETE EDGING, PLANTS, TREES, IRRIGATION, ROCK MULCH, ETC. WITHIN 30 FEET OF BUILDING 332.
2. DEMOLISH EXISTING CONCRETE CURB ALONG SOUTH SIDE OF PARKING LOT.

**LEGEND**

DEMOLISH E.CONCRETE SIDEWALK

DEMOLISH TREES

GRAPHIC SCALE

20 0 10 20 40 80

( IN FEET )
1 inch = 20 ft.

US Army Corps of Engineers®

| MARK | DESCRIPTION | DATE |
|---|---|---|
| | | |

| | |
|---|---|
| DESIGNED BY: PC | ISSUE DATE: SEP 2018 |
| DRAWN BY: PC | SOLICITATION NO.: XXXX |
| CHECKED BY: JSE | CONTRACT NO.: XXXX |
| SUBMITTED BY: /s/ MARKUS BOEHTKER | FILE NO: 228-25-0715 |
| SIZE: ANSI D | FSC NO: 2764 |
| FILE NAME: C-101XXX.dwg | |

U.S. ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT

IN-HOUSE DESIGN
1325 J STREET
SACRAMENTO, CA 95814-2922

NELLIS AFB, NV
BLDG 332 RENOVATION
RAMF 17-0065
XXXX

DEMOLITION PLAN

SHEET ID

C-101

C:\users\l2edd:se\documents\pwwork\cespk\d0608124\C-101XXX.dwg




NOTES:

1. PROVIDE NEW CONCRETE WALKWAYS TO ALL BUILDING DOORS AND STAIR WAYS. PROVIDE WALKWAY BETWEEN BLDG 334 AND HOLLOMAN AVE/ SOUTH PARKING LOT.

**LEGEND**

HARDSCAPE

LANDSCAPED AREA

GRAPHIC SCALE

30 0 15 30 60 120

( IN FEET )
1 inch = 30 ft.

US Army Corps of Engineers®

| MARK | DESCRIPTION | DATE |
|---|---|---|
| | | |

U.S. ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT

IN-HOUSE DESIGN
1325 J STREET
SACRAMENTO, CA 95814-2922

DESIGNED BY: PC
DRAWN BY: PC
CHECKED BY: JSE
SUBMITTED BY: M. MARKUS BOEDTKER
SIZE: ANSI D
FSC NO. 21G4
ISSUE DATE: SEP 2018
SOLICITATION NO.: XXXX
CONTRACT NO.: XXXX
FILE NO.: 22825-0715
FILE NAME: C-101XXX.dwg

NELLIS AFB, NV
BLDG 332 RENOVATION
RKMF 17-0065
XXXX

SITE PLAN

SHEET ID
C-102

C:\users\l2edd\se\documents\pwwork\cespk\d0608124\C-101XXX.dwg




1 / AD101 FIRST FLOOR DEMOLITION PLAN

1/8" = 1'-0"




US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MKB
SUBMITTED BY: Matthew Z. Valentine
SIZE: ANSI 'D'
FILE NAME: Enter Revit File Name
ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 21564
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

FIRST FLOOR DEMOLITION PLAN

SHEET ID

AD101




NOTE: BROCKEN LINES SHOWN INDICATES ITEMS TO BE REMOVED EXCEPT AS NOTED.

1 / AD102

# SECOND FLOOR DEMOLITION PLAN

1/8" = 1'-0"

PLAN NORTH

5' 0 5' 15' 25'

1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 21564
FILE NUMBER: 229-25-0715

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MKB
SUBMITTED BY: Matthew Z. Valentine
SIZE: ANSI D'
FILE NAME: Enter Revit File Name

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

SECOND FLOOR DEMOLITION PLAN

SHEET ID

AD102




NOTE: BROCKEN LINES SHOWN INDICATES ITEMS TO BE REMOVED EXCEPT AS NOTED.

1 / AD103

# THIRD FLOOR DEMOLITION PLAN

1/8" = 1'-0"

PLAN NORTH

5' 0 5' 15' 25'

1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MKB
SUBMITTED BY: Matthew Z. Valentine
SIZE: ANSI D'
FILE NAME: Enter/Revit File Name
ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 21564
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

THIRD FLOOR DEMOLITION PLAN

SHEET ID

AD103




1 AD201

## NORTH ELEVATION - DEMOLITION

1/8" = 1'-0"

NOTE: BROCKEN LINES SHOWN INDICATES ITEMS TO BE REMOVED EXCEPT AS NOTED.




2 AD201

## SOUTH ELEVATION - DEMOLITION

1/8" = 1'-0"

4' 0 4' 8'

SCALE: 1/4" = 1' - 0"

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MKB
SUBMITTED BY: Matthew Z. Valentine
SIZE: FILE NAME: ANSI D' Enter/Revit File Name
ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 21564
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

NORTH AND SOUTH ELEVATIONS - DEMOLITION

SHEET ID

AD201




1
A-101

# FIRST FLOOR PLAN

1/8" = 1'-0"

NOTE:
1. METAL STUD SHALL BE 600S137-33 @ 16" O.C. ANCHOR TOP AND BOTTOM TRACK INTO EXISTING CONCRETE WITH 0.177" DIA. PAF @ 16" O.C. EMBED PAF 1-1/2" INTO EXISTING CONCRETE.
2. INSTALL NEW EXTERIOR BATT INSULATION, MINIMUM R-19.
3. FOR PREFERRED NEW INTERIOR PARTITION TYPE, SEE REMARK COLUMN OF APPENDIX - ROOM AREA COMPUTATION OF THE RFP.

PLAN NORTH

5' 0 5' 15' 25'
1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MKB
SUBMITTED BY: Matthew Z. Valentine
SIZE: FILE NAME: Enter Proj/File Name
ANSI D'
ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 21564
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

FIRST FLOOR PLAN

SHEET ID

A-101




1 A-102

# SECOND FLOOR PLAN

1/8" = 1'-0"

NOTE:
1. METAL STUD SHALL BE 600S137-33 @ 16" O.C. ANCHOR TOP AND BOTTOM TRACK INTO EXISTING CONCRETE WITH 0.177" DIA. PAF @ 16" O.C. EMBED PAF 1-1/2" INTO EXISTING CONCRETE.
2. INSTALL NEW EXTERIOR BATT INSULATION, MINIMUM R-19.
3. FOR PREFERRED NEW INTERIOR PARTITION TYPE, SEE REMARK COLUMN OF APPENDIX - ROOM AREA COMPUTATION OF THE RFP.

PLAN NORTH

5' 0 5' 15' 25'
1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MKB
SUBMITTED BY: Matthew Z. Valentine
SIZE: ANSI D'
FILE NAME: Enter/Rest/File Name
ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 21564
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

SECOND FLOOR PLAN

SHEET ID

A-102




# THIRD FLOOR PLAN

1/8" = 1'-0"

NOTE:
1. METAL STUD SHALL BE 600S137-33 @ 16" O.C. ANCHOR TOP AND BOTTOM TRACK INTO EXISTING CONCRETE WITH 0.177" DIA. PAF @ 16" O.C. EMBED PAF 1-1/2" INTO EXISTING CONCRETE.
2. INSTALL NEW EXTERIOR BATT INSULATION, MINIMUM R-19.
3. FOR PREFERRED NEW INTERIOR PARTITION TYPE, SEE REMARK COLUMN OF APPENDIX - ROOM AREA COMPUTATION OF THE RFP.

PLAN NORTH

5' 0 5' 15' 25'
1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 2164
FILE NUMBER: 229-25-0715

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MK
SUBMITTED BY: Matthew Z. Valentine
DATE: Enter Date
FILE NAME: Enter Revit File Name

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065
THIRD FLOOR PLAN

SHEET ID
A-103




1
A-201

## SOUTH ELEVATION

1/8" = 1'-0"




2
A-201

## NORTH ELEVATION

1/8" = 1'-0"

NOTE:
1. METAL STUD SHALL BE 600S137-33 @ 16" O.C. ANCHOR TOP AND BOTTOM TRACK INTO EXISTING CONCRETE WITH 0.177" DIA. PAF @ 16" O.C. EMBED PAF 1-1/2" INTO EXISTING CONCRETE.
2. INSTALL NEW EXTERIOR BATT INSULATION, MINIMUM R-19.

5' 0 5' 15' 25'
1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MKB
SUBMITTED BY: Matthew Z. Valentine
SIZE: FILE NAME: ANSI D' Enter Proj# File Name
ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 21640
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

NORTH AND SOUTH ELEVATIONS

SHEET ID

A-201




1
A-202

## WEST ELEVATION

1/8" = 1'-0"




2
A-202

## EAST ELEVATION

1/8" = 1'-0"

5' 0 5' 15' 25'

1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MKB
SUBMITTED BY: Matthew Z. Valentine
SIZE: FILE NAME: ANSI D' Enter/Reset File Name
ISSUE DATE: SEP 2018
PROJECT # Enter # Specs 21164
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

EAST AND WEST ELEVATIONS

SHEET ID

A-202

## USACE_DOOR SCHEDULE - FIRST FLOOR

| DOOR NO. | TYPE | DOOR SIZE WIDTH | DOOR SIZE HEIGHT | DOOR SIZE THICKNESS | DOOR MATERIAL | DOOR FINISH | FRAME MATERIAL | FRAME FINISH | COMMENTS: |
|---|---|---|---|---|---|---|---|---|---|
| 100 | FG1 | 6' - 0" | 7' - 0" | 2" | GLASS | | ALUM. | ANOD. | MECHANICAL PUSH BUTTON LOCK |
| 101 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 105 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 106 | D | 3' - 0" | 6' - 8" | 1 3/4" | WD | STN | HM | PNT | DUTCH DOOR |
| 107 | FF | 6' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 107A | FF | 8' - 0" | 7' - 0" | 1 3/4" | HM | PNT | HM | PNT | MECHANICAL PUSH BUTTON LOCK |
| 110 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 111 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 112 | F | 3' - 0" | 6' - 8" | 1 3/4" | WD | STN | HM | PNT | |
| 113 | F | 3' - 0" | 7' - 0" | 1 3/4" | HM | PNT | HM | PNT | MECHANICAL PUSH BUTTON LOCK |
| 114 | FF | 6' - 0" | 7' - 0" | 1 3/4" | HM | PNT | HM | PNT | MECHANICAL PUSH BUTTON LOCK |
| 115 | FF | 6' - 0" | 7' - 0" | 1 3/4" | HM | PNT | HM | PNT | MECHANICAL PUSH BUTTON LOCK |
| 116 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 117 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 118 | F | 2' - 4" | 6' - 8" | 1 3/4" | WD | STN | HM | PNT | |
| 119 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 125 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 127 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 128 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 129 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 132 | N | 3' - 0" | 7' - 0" | 1 3/4" | WD | PNT | HM | PNT | |
| 134 | F | 3' - 0" | 7' - 0" | 1 3/4" | HM | PNT | HM | PNT | MECHANICAL PUSH BUTTON LOCK |
| 137A | FF | 6' - 0" | 7' - 0" | 1 3/4" | HM | PNT | HM | PNT | MECHANICAL PUSH BUTTON LOCK |
| 137B | FG | 3' - 0" | 7' - 0" | 2" | ALUM | ANOD | ALUM | ANOD | MECHANICAL PUSH BUTTON LOCK |

## USACE_DOOR SCHEDULE - SECOND FLOOR

| DOOR NO. | TYPE | DOOR SIZE WIDTH | DOOR SIZE HEIGHT | DOOR SIZE THICKNESS | DOOR MATERIAL | DOOR FINISH | FRAME MATERIAL | FRAME FINISH | COMMENTS: |
|---|---|---|---|---|---|---|---|---|---|
| 201 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 209 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 210A | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 210B | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 211A | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | NPT | |
| 211B | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 212 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 213 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 214 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 215 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 217 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 218 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 219 | F | 2' - 6" | 6' - 8" | 1 3/4" | WD | STN | HM | PNT | |
| 220 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 222 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 223 | F | 3' - 0" | 7' - 0" | 1 3/4" | HM | PNT | HM | PNT | |
| 224 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 225 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 226 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 229 | N | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 232A | FG | 3' - 0" | 7' - 0" | 2" | ALUM | ANOD | ALUM | ANOD | MECHANICAL PUSH BUTTON LOCK |
| 232B | G | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | WITH/ VISION LITE |
| 233 | FG | 3' - 0" | 7' - 0" | 2" | ALUM | ANOD | ALUM | ANOD | MECHANICAL PUSH BUTTON LOCK |

## USACE_DOOR SCHEDULE - THIRD FLOOR

| DOOR NO. | TYPE | DOOR SIZE WIDTH | DOOR SIZE HEIGHT | DOOR SIZE THICKNESS | DOOR MATERIAL | DOOR FINISH | FRAME MATERIAL | FRAME FINISH | COMMENTS: |
|---|---|---|---|---|---|---|---|---|---|
| 302A | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 302B | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 303 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 304 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 305 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 306 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 307 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 310 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 312 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 313 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 314 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 315 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | MECHANICAL PUSH BUTTON LOCK |
| 316 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 317 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 318 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 319 | F | 2' - 4" | 6' - 8" | 1 3/4" | WD | STN | HM | PNT | |
| 320 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 322 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 323 | F | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 327 | N | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 330A | G | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 330B | G | 3' - 0" | 7' - 0" | 1 3/4" | WD | STN | HM | PNT | |
| 331 | FG | 3' - 0" | 7' - 0" | 2" | ALUM | ANOD | ALUM | ANOD | MECHANICAL PUSH BUTTON LOCK |
| 332 | FG | 3' - 0" | 7' - 0" | 2" | ALUM | ANOD | ALUM | ANOD | MECHANICAL PUSH BUTTON LOCK |




## DOOR TYPES

1/4" = 1'-0"

NOTE: ALL EXTERIOR STEEL DOOR SHALL BE INSULATED.

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: ORA
DRAWN BY: ORA
CHECKED BY: MK
SUBMITTED BY: Matthew Z. Valentine
SIZE: E1 FILE NAME: ANSI D' Enter/Reset File Name

ISSUE DATE: SEP 2018
PROJECT # Enter #
Specs 21564
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

DOOR SCHEDULE

SHEET ID

A-620

## FIRST FLOOR INTERIOR FINISH/COLOR SCHEDULE

| RM. NO. | ROOM NAME | FLOOR | BASE | WAINSCOT MATERIAL | WAINSCOT HEIGHT | WALLS NORTH | COLOR | EAST | COLOR | SOUTH | COLOR | WEST | COLOR | CEILING MATERIAL | CEILING COLOR | CEILING HEIGHT | CABINETRY CABINETS | CABINETRY CNTRTOP | DOORS | TRIM | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 100 | LOBBY/ENTRY | PPT1/G1 | PPT1/G1 | -- | | GWB | P1 | GWB | P6 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | FF/P4 | P4 | -- |
| 101 | FLT CHIEF | C1 | RB1 | -- | | DMT | P1 | GWB | P1 | DMT | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 102 | CLIENT SVC CENTER | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | DMT | P1 | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 103 | KNOWLEDGE OPS | C1 | RB1 | -- | | GWB | P1 | DMT | P1 | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 104 | NETWORK SYS. | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 105 | OFFICE STOR. | R1 | RB1 | -- | | GWB | P1 | DMT | P1 | DMT | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 106 | COMP & EQUIPMENT STOR. | ESD1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | -- | -- | GWB | P3 | 8'-0" | -- | -- | P4 | P4 | NOTE 4, 9 |
| 107 | MAIN STORAGE | CONC1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P3 | 8'-0" | -- | -- | P4 | P4 | -- |
| 108 | LOG PLANS | C1 | RB1 | -- | | GWB | P1 | -- | -- | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 109 | MATL MGMN'T | C1 | RB1 | -- | | -- | -- | DMT | P1 | GWB | P1 | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 110 | READINESS OFF. | C1 | RB1 | -- | | DMT | P1 | DMT | P1 | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 111 | TRAINING SPACES | C1 | RB1 | -- | | DMT | P1 | GWB | P1 | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | CR, WS2 |
| 112 | COMM RM | ESD1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P3 | 8'-6" | -- | -- | P4 | P4 | NOTES 3, 4 |
| 113 | ELEC RM | CONC1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | EXP | P3 | VARIES | -- | -- | P4 | P4 | -- |
| 114 | MECH | CONC1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | EXP | P3 | VARIES | -- | -- | P4 | P4 | -- |
| 115 | MECH | CONC1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | EXP | P3 | VARIES | -- | -- | P4 | P4 | -- |
| 116 | BREAKROOM | R1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P6 | ACT | ACT1 | 8'-0" | PLAM1 | SSM1 | S1 | P4 | -- |
| 117 | MEN RR | PPT1/G1 | PPT1/G1 | CT1/CT2/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | PLAM2 | SSM2 | S1 | P4 | TP1 |
| 118 | JAN | PPT1/G1 | PPT1/G1 | CT1/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | -- | -- | S1 | P4 | NOTE 1 |
| 119 | WOMEN RR | PPT1/G1 | PPT1/G1 | CT1/CT2/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | PLAM2 | SSM2 | S1 | P4 | TP1 |
| 120 | RECEPTION | C1 | RB1 | -- | | -- | -- | GWB | P1 | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 121 | CHAP ASST | C1 | RB1 | -- | | -- | -- | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 122 | SR CHAPLAIN | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 123 | JR CHAP | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 124 | COUNSELING | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 125 | EEO OFFICE | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 126 | EEO OFFICE | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 127 | MEETING RM | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | DMT | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | CR, WS2 |
| 128 | SR JDG ADVOCATE | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 129 | JR JDG ADVOCATE | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 130 | PARALEGAL & STOR. | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | -- | -- | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 131 | RECEPTION | C1 | RB1 | -- | | -- | -- | -- | -- | -- | -- | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 132 | STAIR | R2/R3 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P3 | 8'-0" | -- | -- | P4 | P4 | NOTE 2 |
| 133 | ELEV. | CONC1 | -- | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | -- | -- | -- | -- | -- | FF | P4 | NOTE 7 |
| 134 | ELEV. MECH | CONC1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4 | P4 | -- |
| 135 | DISPLAY AREA | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 136 | CORRIDOR | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | -- | -- | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4 | P4 | -- |
| 137 | CORRIDOR | C1 | RB1 | -- | | DMT/GWB | P1 | GWB | P1 | DMT/GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4/S1 | P4 | -- |

**SHEET NOTES:**

1.) SHELVING IN JANITOR CLOSETS SHALL BE ADJUSTABLE.

2.) HANDRAILS IN STAIRWELLS SHALL BE PAINTED: P5

3.) BACKERBOARDS IN COMM ROOMS SHALL BE 3/4" FIRE-RETARDANT TREATED PLYWOOD (VOID-FREE) PER UFC 3-580-01.

4.) STATIC-CONTROL FLOOR SYSTEM SHALL BE CONNECTED TO BUILDING GROUND.

5.) CORNER WALL GUARDS SHALL BE INSTALLED AT ALL VULNERABLE OUTSIDE CORNERS.

6.) DEMOUNTABLE WALLS ARE CONTRACTOR FURNISHED/CONTRACTOR INSTALLED (CF/CI). ACCOMMODATE BUILDING INFRASTRUCTURE AS REQUIRED.

7.) ELEVATOR CAB FINISHES SHALL BE HIGH-IMPACT PLASTIC LAMINATE FOR WALLS, PORCELAIN PAVER TILES FOR FLOOR, AND FACTORY FINISH CEILING.

8.) ALL WINDOWS LOCATED AT EXTERIOR WALLS RECEIVE WINDOW COVERING: WS1, UNLESS OTHERWISE NOTED (UON).

9.) SEE ARCHITECTURAL SHEETS FOR CHAIN LINK FENCE.

10.) WALL COLUMNS IN FINISH SCHEDULES REPRESENT SUGGESTED WALL CONSTRUCTION MATERIAL.

11.) CEILING COLUMN IN FINISH SCHEDULES REPRESENT SUGGESTED CEILING HEIGHTS. ACCOMMODATE HVAC WORK AS REQUIRED.

**GENERAL NOTES:**

A. FOR WALLS WITH A WAINSCOT, THE WAINSCOT MATERIAL IS LISTED IN THE WAINSCOT COLUMN. THE MATERIAL LOCATED ABOVE THE WAINSCOT IS LISTED IN THE WALLS COLUMNS.

B. THE DOOR COLUMN DENOTES THE FINISH, NOT THE DOOR MATERIAL.

C. THE COLUMN LABELED AS TRIM IS USED FOR DOOR & WINDOW FRAMES.

**FINISH LEGEND:**

ACT: ACOUSTICAL CEILING TILES (2'X2', SEE NOTE 11)
ACT1: COLOR: FLAT WHITE

C: CARPET (24"X24" TILES)
C1: COLOR: MULTI-COLOR PATTERN, MEDIUM TONES
C2: C1 WITH CARPET PAD (COMMANDER'S OFFICE)

CG: CORNER GUARDS (SEE NOTE 5)
COLOR: COMPLEMENT WALL COLOR

CONC: CONCRETE
CONC1: SURFACE SEALED CONCRETE WITH HARDENER

CR: CHAIR RAIL (COORDINATE INSTALL HEIGHT WITH GF/GI SEATING)
COLOR: COMPLEMENT WALL COLOR

CT: CERAMIC TILE (WALLS)
CT1: FIELD TILE - COLOR: NEUTRAL, LIGHT TONES (MINIMUM 6"X6")
CT2: ACCENT BAND - COLOR: COORDINATE WITH CT1

DMT: DEMOUNTABLE WALL SYSTEM (SEE NOTES 6 & 10)

ESD: ELECTROSTATIC DISSIPATIVE (GROUNDED TO BUILDING)
ESD1: COLOR: SPECKLED PATTERN

EXP: EXPOSED TO STRUCTURE ABOVE (U.O.N., NO OTHER FINISH REQUIRED)

FF: FACTORY FINISH

G: GROUT (ANTI-BACTERIAL)
G1: COLOR: MEDIUM TO DARK TONES (FLOOR)
G2: COLOR: LIGHT TO MEDIUM TONES (WALL)

GWB: GYPSUM WALLBOARD, USE APPROPRIATE TYPE REQUIRED BY ROOM FUNCTION (SEE NOTES 10 & 11)

P: PAINT
P1: EGGSHELL SHEEN (FIELD COLOR)
P2: SEMI-GLOSS SHEEN (RESTROOMS)
P3: FLAT WHITE (CEILING)
P4: HIGH-GLOSS SHEEN (TRIM)
P5: ENAMEL (HANDRAILS)
P6: EGGSHELL SHEEN (ACCENT COLOR, LOBBIES & BREAKROOMS)

PLAM: PLASTIC LAMINATE (NEUTRAL COLOR)
PLAM1: CABINETS (BREAKROOM)
PLAM2: PLUMBING REVEAL (RESTROOMS)

PROJ: PROJECTOR SCREEN WITH PROJECTOR MOUNT

PPT: PORCELAIN PAVER TILES (FLOORS)
PPT1: COLOR: NEUTRAL, MEDIUM TONES (PREFERRED 12"X12")

R: RESILIENT FLOORING (NEUTRAL, MEDIUM TONE COLOR)
R1: HOMOGENEOUS VINYL (SHEET, HEAT-WELDED WITH SLIGHT PATTERN)
R2: RUBBER STAIR TREAD WITH INTEGRATED RISER (RAISED PROFILE TEXTURE AND CONTRASTING EDGE COLOR FOR VISUALLY IMPAIRED)
R3: RUBBER TILE (24"X24", STAIR LANDINGS)

RB: RESILIENT WALL BASE (4" HIGH)
RB1: COLOR: MEDIUM TONES (COORDINATE WITH CARPET AND RESILIENT FLOORING)

S: STAIN, WOOD
S1: COLOR: CLEAR (OAK)

SSM: SOLID SURFACE MATERIAL (NEUTRAL COLOR)
SSM1: COLOR: MEDIUM TONES WITH SLIGHT PATTERN (BREAKROOM COUNTERTOP)
SSM2: COLOR: LIGHT TONES (RESTROOMS COUNTERTOP)

TP: TOILET PARTITIONS & URINAL SCREENS (SOLID POLYETHYLENE)
TP1: COLOR: NEUTRAL, LIGHT TO MEDIUM TONES

WS: WINDOW SHADES (NEUTRAL COLOR, SEE NOTE 8)
WS1: SINGLE ROLLER - TRANSLUCENT (5 OPENNESS)
WS2: DUAL ROLLERS - TRANSLUCENT (5 ) AND BLACKOUT

**This project was designed by the Sacramento District of the U. S. Army Corps of Engineers.The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by ER 1110-1-8152**

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: D OWEN
DRAWN BY: D OWEN
CHECKED BY: K STEPHENS
SUBMITTED BY: /s/ Matthew Z. Valentine
SIZE: ANSI D
FILE NAME: B332 INTERIORS CENTRAL (SID)
ISSUE DATE: SEP 2018
PROJECT #: RKMF-17-0065
SPEC #: 2164
FILE NUMBER: 225-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
U.S. DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

FIRST FLOOR INTERIOR FINISH/COLOR SCHEDULE

SHEET ID

I-610

## SECOND FLOOR INTERIOR FINISH/COLOR SCHEDULE

| | | | | WAINSCOT | | WALLS | | | | | | | | CEILING | | | CABINETRY | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| RM. NO. | ROOM NAME | FLOOR | BASE | MATERIAL | HEIGHT | NORTH | COLOR | EAST | COLOR | SOUTH | COLOR | WEST | COLOR | MATERIAL | COLOR | HEIGHT | CABINETS | CNTRTOP | DOORS | TRIM | REMARKS |
| 200 | LOBBY | C1 | RB1 | -- | | GWB | P1 | GWB | P6 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4 | P4 | -- |
| 201 | MED RECORD | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P3 | 8'-0" | -- | -- | S1 | P4 | -- |
| 202 | NURSES | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 203 | PHYSICIANS | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 204 | KNWLDG OPS | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 205 | UNIT TRN MGR | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 206 | OPTOMETRIST | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 207 | LAB TECH | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 208 | DENTAL ADMIN | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 209 | STORAGE | R1 | RB1 | -- | | GWB | P1 | DMT | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 210 | TRAINING ROOM | C1 | RB1 | -- | | DMT/GWB | P1 | DMT | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | CR, PROJ, WS2 |
| 211 | SKILLS LAB | R1 | RB1 | -- | | DMT | P1 | GWB | P1 | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | WS2 |
| 212 | COMM ROOM | ESD1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P3 | 8'-6" | -- | -- | P4 | P4 | NOTES 3, 4 |
| 213 | ELECT. ROOM | CONC1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | EXP | P3 | VARIES | -- | -- | P4 | P4 | -- |
| 214 | MECH | CONC1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | EXP | P3 | VARIES | -- | -- | P4 | P4 | -- |
| 215 | EXAM RM | R1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | PLAM1 | SSM1 | S1 | P4 | -- |
| 216A | EXAM RM | R1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | PLAM1 | SSM1 | S1 | P4 | -- |
| 216B | EXAM RM | R1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | PLAM1 | SSM1 | S1 | P4 | -- |
| 217 | MED TECH | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 218 | MEN RR | PPT1/G1 | PPT1/G1 | CT1/CT2/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | PLAM2 | SSM2 | S1 | P4 | TP1 |
| 219 | JAN | PPT1/G1 | PPT1/G1 | CT1/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | -- | -- | S1 | P4 | NOTE 1 |
| 220 | WOMEN RR | PPT1/G1 | PPT1/G1 | CT1/CT2/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | PLAM2 | SSM2 | S1 | P4 | TP1 |
| 221 | CMDR SUPPORT STAFF | C2 | RB1 | -- | | DMT/GWB | P1 | DMT | P1 | GWB | P1 | DMT/GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 222 | OFF. STOR. | R1 | RB1 | -- | | DMT | P1 | DMT | P1 | DMT | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 223 | CONF ROOM | C2 | RB1 | -- | | DMT/GWB | P1 | GWB | P1 | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | CR, WS2 |
| 224 | CMDR OFFICE | C2 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 225 | 1SG OFFICE | C2 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 226 | SUPERINTENDENT | C2 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 227 | CMDR RECPN | C2 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 228 | MED TECH | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | -- | -- | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 229 | STAIR | R2/R3 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P3 | 8'-0" | -- | -- | P4 | P4 | NOTE 2 |
| 230 | ELEV | -- | -- | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | -- | -- | -- | -- | -- | FF | P4 | NOTE 7 |
| 231 | CORRIDOR | C1 | RB1 | -- | | -- | -- | GWB | P1 | -- | -- | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4/S1 | P4 | -- |
| 232 | CORRIDOR | C1 | RB1 | -- | | DMT/GWB | P1 | GWB | P1 | DMT/GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 233 | CORRIDOR | C2 | RB | -- | | GWB | P1 | GWB | P1 | DMT | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4/S1 | P4 | -- |

**SHEET NOTES:**

1.) SHELVING IN JANITOR CLOSETS SHALL BE ADJUSTABLE.

2.) HANDRAILS IN STAIRWELLS SHALL BE PAINTED: P5

3.) BACKERBOARDS IN COMM ROOMS SHALL BE 3/4" FIRE-RETARDANT TREATED PLYWOOD (VOID-FREE) PER UFC 3-580-01.

4.) STATIC-CONTROL FLOOR SYSTEM SHALL BE CONNECTED TO BUILDING GROUND.

5.) CORNER WALL GUARDS SHALL BE INSTALLED AT ALL VULNERABLE OUTSIDE CORNERS.

6.) DEMOUNTABLE WALLS ARE CONTRACTOR FURNISHED/CONTRACTOR INSTALLED (CF/CI). ACCOMMODATE BUILDING INFRASTRUCTURE AS REQUIRED.

7.) ELEVATOR CAB FINISHES SHALL BE HIGH-IMPACT PLASTIC LAMINATE FOR WALLS, PORCELAIN PAVER TILES FOR FLOOR, AND FACTORY FINISH CEILING.

8.) ALL WINDOWS LOCATED AT EXTERIOR WALLS RECEIVE WINDOW COVERING: WS1, UNLESS OTHERWISE NOTED (UON).

9.) SEE ARCHITECTURAL SHEETS FOR CHAIN LINK FENCE.

10.) WALL COLUMNS IN FINISH SCHEDULES REPRESENT SUGGESTED WALL CONSTRUCTION MATERIAL.

11.) CEILING COLUMN IN FINISH SCHEDULES REPRESENT SUGGESTED CEILING HEIGHTS. ACCOMMODATE HVAC WORK AS REQUIRED.

**GENERAL NOTES:**

A. FOR WALLS WITH A WAINSCOT, THE WAINSCOT MATERIAL IS LISTED IN THE WAINSCOT COLUMN. THE MATERIAL LOCATED ABOVE THE WAINSCOT IS LISTED IN THE WALLS COLUMNS.

B. THE DOOR COLUMN DENOTES THE FINISH, NOT THE DOOR MATERIAL.

C. THE COLUMN LABELED AS TRIM IS USED FOR DOOR & WINDOW FRAMES.

**FINISH LEGEND:**

ACT: ACOUSTICAL CEILING TILES (2'X2', SEE NOTE 11)
ACT1: COLOR: FLAT WHITE

C: CARPET (24"X24" TILES)
C1: COLOR: MULTI-COLOR PATTERN, MEDIUM TONES
C2: C1 WITH CARPET PAD (COMMANDER'S OFFICE)

CG: CORNER GUARDS (SEE NOTE 5)
COLOR: COMPLEMENT WALL COLOR

CONC: CONCRETE
CONC1: SURFACE SEALED CONCRETE WITH HARDENER

CR: CHAIR RAIL (COORDINATE INSTALL HEIGHT WITH GF/GI SEATING)
COLOR: COMPLEMENT WALL COLOR

CT: CERAMIC TILE (WALLS)
CT1: FIELD TILE - COLOR: NEUTRAL, LIGHT TONES (MINIMUM 6"X6")
CT2: ACCENT BAND - COLOR: COORDINATE WITH CT1

DMT: DEMOUNTABLE WALL SYSTEM (SEE NOTES 6 & 10)

ESD: ELECTROSTATIC DISSIPATIVE (GROUNDED TO BUILDING)
ESD1: COLOR: SPECKLED PATTERN

EXP: EXPOSED TO STRUCTURE ABOVE (U.O.N., NO OTHER FINISH REQUIRED)

FF: FACTORY FINISH

G: GROUT (ANTI-BACTERIAL)
G1: COLOR: MEDIUM TO DARK TONES (FLOOR)
G2: COLOR: LIGHT TO MEDIUM TONES (WALL)

GWB: GYPSUM WALLBOARD, USE APPROPRIATE TYPE REQUIRED BY ROOM FUNCTION (SEE NOTES 10 & 11)

P: PAINT
P1: EGGSHELL SHEEN (FIELD COLOR)
P2: SEMI-GLOSS SHEEN (RESTROOMS)
P3: FLAT WHITE (CEILING)
P4: HIGH-GLOSS SHEEN (TRIM)
P5: ENAMEL (HANDRAILS)
P6: EGGSHELL SHEEN (ACCENT COLOR, LOBBIES & BREAKROOMS)

PLAM: PLASTIC LAMINATE (NEUTRAL COLOR)
PLAM1: CABINETS (BREAKROOM)
PLAM2: PLUMBING REVEAL (RESTROOMS)

PROJ: PROJECTOR SCREEN WITH PROJECTOR MOUNT

PPT: PORCELAIN PAVER TILES (FLOORS)
PPT1: COLOR: NEUTRAL, MEDIUM TONES (PREFERRED 12"X12")

R: RESILIENT FLOORING (NEUTRAL, MEDIUM TONE COLOR)
R1: HOMOGENEOUS VINYL (SHEET, HEAT-WELDED WITH SLIGHT PATTERN)
R2: RUBBER STAIR TREAD WITH INTEGRATED RISER (RAISED PROFILE TEXTURE AND CONTRASTING EDGE COLOR FOR VISUALLY IMPAIRED)
R3: RUBBER TILE (24"X24", STAIR LANDINGS)

RB: RESILIENT WALL BASE (4" HIGH)
RB1: COLOR: MEDIUM TONES (COORDINATE WITH CARPET AND RESILIENT FLOORING)

S: STAIN, WOOD
S1: COLOR: CLEAR (OAK)

SSM: SOLID SURFACE MATERIAL (NEUTRAL COLOR)
SSM1: COLOR: MEDIUM TONES WITH SLIGHT PATTERN (BREAKROOM COUNTERTOP)
SSM2: COLOR: LIGHT TONES (RESTROOMS COUNTERTOP)

TP: TOILET PARTITIONS & URINAL SCREENS (SOLID POLYETHYLENE)
TP1: COLOR: NEUTRAL, LIGHT TO MEDIUM TONES

WS: WINDOW SHADES (NEUTRAL COLOR, SEE NOTE 8)
WS1: SINGLE ROLLER - TRANSLUCENT (5 OPENNESS)
WS2: DUAL ROLLERS - TRANSLUCENT (5 ) AND BLACKOUT

**This project was designed by the Sacramento District of the U. S. Army Corps of Engineers.The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by ER 1110-1-8152**

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: D OWEN
DRAWN BY: D OWEN
CHECKED BY: K STEPHENS
SUBMITTED BY: Matthew Z Valentine
SIZE: E1.5
ANSI D E332 INTERIORS CENTRAL (SID)
ISSUE DATE: SEP 2018
PROJECT #: RKMF-17-0065
SPEC #: 2164
FILE NUMBER: 228-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
U.S. DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 326 WG BUILDING 332
RKMF 17-0065

SECOND FLOOR INTERIOR FINISH/COLOR SCHEDULE

SHEET ID

I-611

## THIRD FLOOR INTERIOR FINISH/COLOR SCHEDULE

| RM. NO. | ROOM NAME | FLOOR | BASE | WAINSCOT MATERIAL | WAINSCOT HEIGHT | WALLS NORTH | COLOR | EAST | COLOR | SOUTH | COLOR | WEST | COLOR | CEILING MATERIAL | CEILING COLOR | CEILING HEIGHT | CABINETRY CABINETS | CABINETRY CNTRTOP | DOORS | TRIM | REMARKS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 300 | LOBBY | C1 | RB1 | -- | | GWB | P1 | GWB | P6 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4 | P4 | -- |
| 301 | FLIGHT CHIEF | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 302 | TRAINING ROOM | C1 | RB1 | -- | | GWB | P1 | DMT | P1 | DMT | P1 | DMT | P1 | GWB | P3 | 8'-0" | -- | -- | S1 | P4 | CR, PROJ, WS2 |
| 303 | SUPT. | C2 | RB1 | -- | | GWB | P1 | DMT | P1 | DMT | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 304 | CURRENT OPS. | C2 | RB1 | -- | | GWB | P1 | DMT | P1 | DMT | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 305 | DEP. COMMANDER | C2 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 306 | COMMANDER | C2 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 307 | XO | C2 | RB1 | -- | | DMT | P1 | DMT | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 308 | CAREER ADV. | C2 | RB1 | -- | | GWB | P1 | -- | -- | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 309 | COMMAND SUPPORT STAFF | C2 | RB1 | -- | | -- | -- | DMT | P1 | GWB | P1 | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 310 | CONF. ROOM | C2 | RB1 | -- | | DMT | P1 | DMT | P1 | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | CR, WS2 |
| 311 | TRAINING MNGR | C1 | RB1 | -- | | -- | -- | -- | -- | DMT | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 312 | STORAGE | R1 | RB1 | -- | | DMT | P1 | DMT | P1 | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 313 | COMM RM | ESD1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P3 | 8'-6" | -- | -- | P4 | P4 | NOTES 3, 4 |
| 314 | ELECT RM | CONC1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | EXP | P3 | 8'-0" | -- | -- | P4 | P4 | -- |
| 315 | SIPR/INTEL | C1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4 | P4 | WS2 |
| 316 | BREAK RM | R1 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P6 | ACT | ACT1 | 8'-0" | S1 | SSM1 | S1 | P4 | -- |
| 317 | MEN RR | PPT1/G1 | PPT1/G1 | CT1/CT2/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | PLAM2 | SSM2 | S1 | P4 | TP1 |
| 318 | WOMEN RR | PPT1/G1 | PPT1/G1 | CT1/CT2/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | PLAM2 | SSM2 | S1 | P4 | TP1 |
| 319 | JAN | PPT1/G1 | PPT1/G1 | CT1/G2 | 4' - 9" | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | GWB | P2 | 8'-0" | -- | -- | S1 | P4 | NOTE 1 |
| 320 | MAINT OFFICER | C1 | RB1 | -- | | DMT | P1 | DMT | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 321 | COMMANDER SUPPORT STAFF | C2 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 322 | COMMANDER | C2 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 323 | 1SG OFF | C2 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | DMT | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 324 | SUPERINTENDENT | C1 | RB1 | -- | | GWB | P1 | DMT | P1 | DMT | P1 | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 325 | COMPUTER WORK STATIONS | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 326 | SHOP CHIEF | C1 | RB1 | -- | | GWB | P1 | -- | -- | -- | -- | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | S1 | P4 | -- |
| 327 | STAIR | R2/R3 | RB1 | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P3 | 8'-0" | -- | -- | P4 | P4 | NOTE 2 |
| 328 | ELEV | -- | -- | -- | | GWB | P1 | GWB | P1 | GWB | P1 | GWB | P1 | -- | -- | -- | -- | -- | FF | P4 | NOTE 7 |
| 329 | CORRIDOR | C1 | RB1 | -- | | -- | -- | GWB | P1 | -- | -- | -- | -- | ACT | ACT1 | 8'-0" | -- | -- | P4 | P4 | -- |
| 330 | CORRIDOR | C1 | RB1 | -- | | DMT/GWB | P1 | GWB | P1 | DMT/GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4/S1 | P4 | -- |
| 331 | CORRIDOR | C2 | RB1 | -- | | DMT/GWB | P1 | GWB | P1 | DMT/GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4/S1 | P4 | -- |
| 332 | CORRIDOR | C2 | RB1 | -- | | DMT/GWB | P1 | GWB | P1 | DMT/GWB | P1 | GWB | P1 | ACT | ACT1 | 8'-0" | -- | -- | P4/S1 | P4 | -- |

**SHEET NOTES:**

1.) SHELVING IN JANITOR CLOSETS SHALL BE ADJUSTABLE.

2.) HANDRAILS IN STAIRWELLS SHALL BE PAINTED: P5

3.) BACKERBOARDS IN COMM ROOMS SHALL BE 3/4" FIRE-RETARDANT TREATED PLYWOOD (VOID-FREE) PER UFC 3-580-01.

4.) STATIC-CONTROL FLOOR SYSTEM SHALL BE CONNECTED TO BUILDING GROUND.

5.) CORNER WALL GUARDS SHALL BE INSTALLED AT ALL VULNERABLE OUTSIDE CORNERS.

6.) DEMOUNTABLE WALLS ARE CONTRACTOR FURNISHED/CONTRACTOR INSTALLED (CF/CI). ACCOMMODATE BUILDING INFRASTRUCTURE AS REQUIRED.

7.) ELEVATOR CAB FINISHES SHALL BE HIGH-IMPACT PLASTIC LAMINATE FOR WALLS, PORCELAIN PAVER TILES FOR FLOOR, AND FACTORY FINISH CEILING.

8.) ALL WINDOWS LOCATED AT EXTERIOR WALLS RECEIVE WINDOW COVERING: WS1, UNLESS OTHERWISE NOTED (UON).

9.) SEE ARCHITECTURAL SHEETS FOR CHAIN LINK FENCE.

10.) WALL COLUMNS IN FINISH SCHEDULES REPRESENT SUGGESTED WALL CONSTRUCTION MATERIAL.

11.) CEILING COLUMN IN FINISH SCHEDULES REPRESENT SUGGESTED CEILING HEIGHTS. ACCOMMODATE HVAC WORK AS REQUIRED.

**GENERAL NOTES:**

A. FOR WALLS WITH A WAINSCOT, THE WAINSCOT MATERIAL IS LISTED IN THE WAINSCOT COLUMN. THE MATERIAL LOCATED ABOVE THE WAINSCOT IS LISTED IN THE WALLS COLUMNS.

B. THE DOOR COLUMN DENOTES THE FINISH, NOT THE DOOR MATERIAL.

C. THE COLUMN LABELED AS TRIM IS USED FOR DOOR & WINDOW FRAMES.

**FINISH LEGEND:**

ACT: ACOUSTICAL CEILING TILES (2'X2', SEE NOTE 11)
ACT1: COLOR: FLAT WHITE

C: CARPET (24"X24" TILES)
C1: COLOR: MULTI-COLOR PATTERN, MEDIUM TONES
C2: C1 WITH CARPET PAD (COMMANDER'S OFFICE)

CG: CORNER GUARDS (SEE NOTE 5)
COLOR: COMPLEMENT WALL COLOR

CONC: CONCRETE
CONC1: SURFACE SEALED CONCRETE WITH HARDENER

CR: CHAIR RAIL (COORDINATE INSTALL HEIGHT WITH GF/GI SEATING)
COLOR: COMPLEMENT WALL COLOR

CT: CERAMIC TILE (WALLS)
CT1: FIELD TILE - COLOR: NEUTRAL, LIGHT TONES (MINIMUM 6"X6")
CT2: ACCENT BAND - COLOR: COORDINATE WITH CT1

DMT: DEMOUNTABLE WALL SYSTEM (SEE NOTES 6 & 10)

ESD: ELECTROSTATIC DISSIPATIVE (GROUNDED TO BUILDING)
ESD1: COLOR: SPECKLED PATTERN

EXP: EXPOSED TO STRUCTURE ABOVE (U.O.N., NO OTHER FINISH REQUIRED)

FF: FACTORY FINISH

G: GROUT (ANTI-BACTERIAL)
G1: COLOR: MEDIUM TO DARK TONES (FLOOR)
G2: COLOR: LIGHT TO MEDIUM TONES (WALL)

GWB: GYPSUM WALLBOARD, USE APPROPRIATE TYPE REQUIRED BY ROOM FUNCTION (SEE NOTES 10 & 11)

P: PAINT
P1: EGGSHELL SHEEN (FIELD COLOR)
P2: SEMI-GLOSS SHEEN (RESTROOMS)
P3: FLAT WHITE (CEILING)
P4: HIGH-GLOSS SHEEN (TRIM)
P5: ENAMEL (HANDRAILS)
P6: EGGSHELL SHEEN (ACCENT COLOR, LOBBIES & BREAKROOMS)

PLAM: PLASTIC LAMINATE (NEUTRAL COLOR)
PLAM1: CABINETS (BREAKROOM)
PLAM2: PLUMBING REVEAL (RESTROOMS)

PROJ: PROJECTOR SCREEN WITH PROJECTOR MOUNT

PPT: PORCELAIN PAVER TILES (FLOORS)
PPT1: COLOR: NEUTRAL, MEDIUM TONES (PREFERRED 12"X12")

R: RESILIENT FLOORING (NEUTRAL, MEDIUM TONE COLOR)
R1: HOMOGENEOUS VINYL (SHEET, HEAT-WELDED WITH SLIGHT PATTERN)
R2: RUBBER STAIR TREAD WITH INTEGRATED RISER (RAISED PROFILE TEXTURE AND CONTRASTING EDGE COLOR FOR VISUALLY IMPAIRED)
R3: RUBBER TILE (24"X24", STAIR LANDINGS)

RB: RESILIENT WALL BASE (4" HIGH)
RB1: COLOR: MEDIUM TONES (COORDINATE WITH CARPET AND RESILIENT FLOORING)

S: STAIN, WOOD
S1: COLOR: CLEAR (OAK)

SSM: SOLID SURFACE MATERIAL (NEUTRAL COLOR)
SSM1: COLOR: MEDIUM TONES WITH SLIGHT PATTERN (BREAKROOM COUNTERTOP)
SSM2: COLOR: LIGHT TONES (RESTROOMS COUNTERTOP)

TP: TOILET PARTITIONS & URINAL SCREENS (SOLID POLYETHYLENE)
TP1: COLOR: NEUTRAL, LIGHT TO MEDIUM TONES

WS: WINDOW SHADES (NEUTRAL COLOR, SEE NOTE 8)
WS1: SINGLE ROLLER - TRANSLUCENT (5 OPENNESS)
WS2: DUAL ROLLERS - TRANSLUCENT (5 ) AND BLACKOUT

**This project was designed by the Sacramento District of the U. S. Army Corps of Engineers.The initials or signatures and registration designations of individuals appear on these project documents within the scope of their employment as required by ER 1110-1-8152**

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

ISSUE DATE: SEP 2018
PROJECT #: RKMF-17-0065
SPEC #: 2164
FILE NUMBER: 228-25-0715
FILE NAME: B332 INTERIORS CENTRAL (SID)

DESIGNED BY: D OWEN
DRAWN BY: D OWEN
CHECKED BY: K STEPHENS
SUBMITTED BY: K Matthews/ Z Valentine
SIZE: ANSI D

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
U.S. DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE B28 WCS BUILDING 332
RKMF 17-0065

THIRD FLOOR INTERIOR FINISH/COLOR SCHEDULE

SHEET ID

I-612

FURNITURE LEGEND:

TABLE, DINING (36" X 36")

TABLE, CONFERENCE (48" X 48")

TABLE, CONFERENCE (36" DIA.) WITH UPHOLSTERED CONFERENCE CHAIRS

TABLE, CONFERENCE (48" X 96")

5' - 6" / 6' - 6"

DESK, FREESTANDING MODULAR
WITHOUT OVERHEAD HUTCH
WITH OVERHEAD HUTCH

7' - 0" / 8' - 0"

EXECUTIVE (WOOD) DESK WITH TASK CHAIR AND UPHOLSTERED WOOD GUEST CHAIRS

CHAIR, GUEST

CHAIR, CONFERENCE

CHAIR, TASK (DESK)




**SHEET NOTES:**

1.) REFER TO ARCHITECTURAL SHEETS FOR SUGGESTED WALL CONSTRUCTION TYPES.
2.) PROVIDE DESIGN OF FF&E IN ACCORDANCE WITH THE AIR FORCE RESERVE COMMAND COMPREHENSIVE INTERIOR DESIGN POLICY MANUAL.
3.) DEMOUNTABLE WALLS ARE CONTRACTOR FURNISHED/CONTRACTOR INSTALLED (CF/CI).

1 / IF101 — 1ST FLOOR FURNITURE PLAN

1/8" = 1'-0"

PLAN NORTH

5' 0 5' 15' 25'

1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

ISSUE DATE: SEP 2018
PROJECT # RKMF 17-0065
SPEC # 21640
FILE NUMBER: 229-25-0715

DESIGNED BY: D OWEN
DRAWN BY: D OWEN
CHECKED BY: K STEPHENS
SUBMITTED BY: Matthew K. Valentine
SIZE: FILE NAME: ANSI D B332_INTERIORS_CENTRAL (FF&E)

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

1ST FLOOR FURNITURE PLAN

SHEET ID

IF101

FURNITURE LEGEND:

TABLE, DINING (36" X 36")

TABLE, CONFERENCE (48" X 48")

TABLE, CONFERENCE (36" DIA.) WITH UPHOLSTERED CONFERENCE CHAIRS

TABLE, CONFERENCE (48" X 96")

5' - 6"
6' - 6"

DESK, FREESTANDING MODULAR
WITHOUT OVERHEAD HUTCH
WITH OVERHEAD HUTCH

7' - 0"
8' - 0"

EXECUTIVE (WOOD) DESK WITH TASK CHAIR AND UPHOLSTERED WOOD GUEST CHAIRS

CHAIR, GUEST

CHAIR, CONFERENCE

CHAIR, TASK (DESK)




**SHEET NOTES:**

1.) REFER TO ARCHITECTURAL SHEETS FOR SUGGESTED WALL CONSTRUCTION TYPES.
2.) PROVIDE DESIGN OF FF&E IN ACCORDANCE WITH THE AIR FORCE RESERVE COMMAND COMPREHENSIVE INTERIOR DESIGN POLICY MANUAL.
3.) DEMOUNTABLE WALLS ARE CONTRACTOR FURNISHED/CONTRACTOR INSTALLED (CF/CI).

1 IF102 2ND FLOOR FURNITURE PLAN

1/8" = 1'-0"

PLAN NORTH

5' 0 5' 15' 25'

1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

DESIGNED BY: D OWEN
DRAWN BY: D OWEN
CHECKED BY: K STEPHENS
SUBMITTED BY: /s/ Matthew Z. Valentine
SIZE: FILE NAME: ANSI D' B332 INTERIORS CENTRAL (FF&E)
ISSUE DATE: SEP 2018
PROJECT # RKMF 17-0065
SPEC # 21164
FILE NUMBER: 229-25-0715

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

2ND FLOOR FURNITURE PLAN

SHEET ID

IF102

FURNITURE LEGEND:

TABLE, DINING (36" X 36")

TABLE, CONFERENCE (48" X 48")

TABLE, CONFERENCE (36" DIA.) WITH UPHOLSTERED CONFERENCE CHAIRS

TABLE, CONFERENCE (48" X 96")

5' - 6"

6' - 6"

DESK, FREESTANDING MODULAR
WITHOUT OVERHEAD HUTCH
WITH OVERHEAD HUTCH

7' - 0"

8' - 0"

EXECUTIVE (WOOD) DESK WITH TASK CHAIR AND UPHOLSTERED WOOD GUEST CHAIRS

CHAIR, GUEST

CHAIR, CONFERENCE

CHAIR, TASK (DESK)




**SHEET NOTES:**

1.) REFER TO ARCHITECTURAL SHEETS FOR SUGGESTED WALL CONSTRUCTION TYPES.
2.) PROVIDE DESIGN OF FF&E IN ACCORDANCE WITH THE AIR FORCE RESERVE COMMAND COMPREHENSIVE INTERIOR DESIGN POLICY MANUAL.
3.) DEMOUNTABLE WALLS ARE CONTRACTOR FURNISHED/CONTRACTOR INSTALLED (CF/CI).

1 IF103 3RD FLOOR FURNITURE PLAN

1/8" = 1'-0"

PLAN NORTH

5' 0 5' 15' 25'

1/8"=1'-0" GRAPHIC SCALE

US Army Corps of Engineers ®

| MARK | DESCRIPTION | DATE |
|---|---|---|

ISSUE DATE: SEP 2018
PROJECT # RKMF 17-0065
SPEC # 21164
FILE NUMBER: 229-25-0715
FILE NAME: B332_INTERIORS_CENTRAL (FF&E)

DESIGNED BY: D OWEN
DRAWN BY: D OWEN
CHECKED BY: K STEPHENS
SUBMITTED BY: K Matthews / K Valentine
SIZE: ANSI 'D'

US ARMY CORPS OF ENGINEERS
SACRAMENTO DISTRICT
US DEPT OF ARMY

SACRAMENTO DISTRICT
1325 J STREET
SACRAMENTO, CA 95814

NELLIS AIR FORCE BASE, NEVADA
RENOVATE 926 WG BUILDING 332
RKMF 17-0065

3RD FLOOR FURNITURE PLAN

SHEET ID

IF103